



YUNBAI HOME

云白家居

ENGLISH EDITION

FOSHAN, CHINA · LIFT-AND-SLIDE SYSTEMS

Panoramic Lift Doors

Multilingual edition — translated introduction, followed by the complete product album

WhatsApp

+86 139 2587 2677

Email

info@yunbaihome.com

Address

Nanhai District, Foshan, Guangdong, China

Terms

FOB · CIF · DDP · LCL / FCL

WHO WE ARE

A Foshan export partner for the whole home

YUNBAI HOME is based in Nanhai, Foshan, Guangdong — the heart of China's building-materials and furniture industry. We export full-category building materials and made-to-measure whole-house interiors: kitchens, wardrobes, doors and windows, tiles, stone, flooring, bathrooms, lighting and soft furnishings, with design, QC, export documents and global delivery handled by one team.

15+

15+ years export experience

14

14 product categories in one order

60+

60+ destination countries

500+

500+ homes & projects supplied

HOW TO ORDER

01

Inquiry

Send model photos & room dimensions — quotation within 24 hours

02

Order & deposit

Confirm finishes & proforma invoice, pay deposit

03

Production & QC

Production, progress photos & pre-shipment inspection

04

Delivery

Balance payment & shipment — FOB · CIF · DDP

THIS COLLECTION

01 Lift-and-slide patio doors

large panels, ultra-narrow frame, panoramic glazing

02 Profiles & systems

6063-T5 aluminum, 2.0mm wall thickness

03 Hardware & sealing

multi-point lock, EPDM gaskets, built-in blinds

Performance

✓ Sound & thermal insulation, airtight sealing

✓ Single panel up to 3m wide, 3.5m tall

✓ Tempered / laminated glass options

HOW TO READ THIS ALBUM

Panoramic Lift Doors

The following pages are the original product album with drawings and parameters. Send us your opening size and we will confirm the system, glass and pricing.

Technical parameters on the source pages follow the manufacturer's standards and are reconfirmed per order.

CONTACT YUNBAI HOME

WhatsApp

+86 139 2587 2677

Email

info@yunbaihome.com

Address

Nanhai District, Foshan, Guangdong, China

Hours

Mon – Sat, 9:00 – 18:00 (GMT+8)



WeChat

温馨提示

- 1、由于印刷原因，产品颜色与实物颜色有所差异，图片仅供参考。
- 2、本画册所有产品图片归本公司所有。

全景提升门系统

PANORAMIC LIFT DOOR SYSTEM

— 大景观 大开启 大通风 —


专为沿海地区设计

密封 - 防水 - 隔音 - 抗风压 - 美观

比侧压窗全景门更好

打扫更方便, 安装更简单

应用场景：阳台、客厅、别墅门、阳光房



广东·佛山
FOSHAN, GUANGDONG

CUSTOM SPECIFICATIONS
超高超宽 规格定制

- 1

宽窄搭配

宽窄搭的设计美观大气
- 2

免打胶设计

安装打扫更方便
- 3


专利产品

每一款专利产品都是对行业标准的重新定义
- 4

应用场景广泛

阳台、客厅、别墅门、阳光房都非常适用

产品尺寸示意图



极致界限 非凡体验
EXTRAORDINARY
EXPERIENCE

一扇全景提升推拉门，
不仅能实现扩容、隔断、装饰、隔热、隔音、防盗等多重功能……
还能带来充足的阳光、清新的空气、时尚的美感、顺畅的使用体验。

宜居的生活是我们人类共同的追求，
提升推拉门系统，是通往追求之路上的最佳伙伴。



5 Great advantages of broken bridge lifting door 提升推拉系统 大优势

现代精致家居必备, 开启美好体验



水密性能 防潮防渗

专用提升门高轨密封结构, 轨道高低落差实现高效排水

The special high - rail sealing structure of the lifting door enables efficient drainage.



宽大门扇 一览无余的视觉体验

可实现大扇开启设计, 最大扇宽可达 3 米, 最大扇高可达 2.6 米, 被誉为“可移动的玻璃墙”

It can realize the design of large - panel opening and is hailed as a "movable glass wall".



隔音降噪 静享安宁

让你在享受室内舒适的同时, 也能尽情欣赏室外的美景。

It allows you to enjoy the comfort indoors while fully appreciating the beautiful scenery outdoors.



超强抗风压 无惧狂风暴雨

以创新型轨道结构设计, 任屋外狂风暴雨, 屋内始终“风和日丽”

With an innovative track structure design, no matter how fierce the wind and rain are outside, it remains calm and pleasant inside the house.



任意位置固定 视野开阔

加了提升配件的门扇可以平移到任意位置, 大承重、高性能、高品位的追求。


The door leaf with the added lifting accessories can be translated to any position.



“
每个细节
都源于对高品质的追求

产品特点 Product performance

- 采用 6063-T5 超高精级铝型材, 高强度高韧性
- 表面处理工艺采用超耐候金属粉末喷涂, 耐腐蚀, 抗褪色能力优异
- 单扇承重可达 300~500 公斤, 采用系统制作工艺与专用配件, 连接强度更高, 防晃轮防摆轮的双层设计, 推拉尽享丝滑
- 结合耐磨的不锈钢高低导轨, 使用轻而易举
- 门扇可提升到任意位置固定, 在通风的状态下, 防止小孩爬出风险
- 利用杠杆原理, 转动执手向上, 门扇锁闭, 充分增强气密性、水密性及抗风压性; 向下转动执手, 门窗提升即可滑动



CATALOG
PRODUCT
产品目录

09-16

138 单轨提升门
138 single - track lifting door

17-26

135 两轨提升门
135 two - track lifting door

27-30

198 三轨提升推拉门
198 three-rail lift and slide door

31-36


120/130 断桥提升窗
120/130 Broken - bridge Lifting Window

37-38

125 电动推拉门 / 提升推拉门
125 Electric Sliding Door / 125 Lifting Sliding Door


LIFTING DOOR

138 单轨提升门



产品参数 Product Parameters

型材壁厚	2.0mm~2.5mm	玻璃配置	6+18A+6、12+15A+12
边框宽度	138mm	五金选配	皓涛 / 格屋 / 好博 / 威斯特丹
开启方式	提升平移推拉	应用场景	阳台 / 客厅 / 别墅 / 阳光房





REINFORCED PROFILES

勾企抗台风加强型材


一固一活勾企处使用室内室外加强, 推拉更顺畅, 稳固性更好;

Reinforcements are used both indoors and outdoors at the fixed and movable hook shaped uprights. This makes the pushing and pulling smoother and improves the stability.

可选样式 Optional styles




开启状态



关闭状态



开启状态



关闭状态



“
阳台场景
阅览门外美景

BALCONY SCENE
HAVE A BROAD VIEW OF THE BEAUTIFUL
SCENERY OUTSIDE THE DOOR

可实现大扇开启，增大空间视野，提升视觉享受，
让更多的阳光进入室内，让居室融入大美风景！

It can achieve large - scale opening, expand the spatial vision, enhance
the visual experience, allow more sunlight to enter the room, and
integrate the living space into the magnificent scenery!



SAFE AND RELIABLE

BE COMMITTED TO CREATING A QUIET
AND COMFORTABLE HOME ENVIRONMENT FOR
THOUSANDS OF HOUSEHOLDS.

“安全玻璃护栏 贴心守护

SAFETY GLASS GUARDRAIL
PROVIDING ATTENTIVE PROTECTION


自带提升定位功能，防止小孩子夹手而设计，随手任意位置定位，
开启位置想开多大就多大！轻松拥有家居生活主动权。

Both the upper and lower tracks and the edge hooked parts are equipped
with corresponding special seals to prevent air circulation and solve the
problem of corner sealing dead zones in conventional sliding doors.

TRACK INSTALLATION

预埋式轨道安装

独特的下轨安装方式, 简洁美观
出入打扫更方便。



“

阳光房场景 心境自然 阳光相伴


BALCONY SCENE
HAVE A BROAD VIEW OF THE BEAUTIFUL
SCENERY OUTSIDE THE DOOR

密封性能和隔音性能显著提升, 台风暴雨无惧渗漏
牢固、安全、隔音性能优越!

The sealing and sound - proofing performance are
significantly improved. It can withstand typhoons and heavy
rain without leakage. It is firm, safe, and has excellent sound
proofing performance!

LIFTING DOOR

135 两轨提升门



产品参数 Product Parameters

型材壁厚	2.0mm~2.5mm	玻璃配置	标配 6+18A+6、多种可选
边框宽度	135mm	五金选配	皓涛 / 格屋 / 好博 / 威斯特丹
开启方式	提升平移推拉	应用场景	阳台 / 客厅 / 别墅 / 阳光房



“后花园别墅场景 极致美学与实用

BALCONY SCENE
HAVE A BROAD VIEW OF THE BEAUTIFUL
SCENERY OUTSIDE THE DOOR

一扇好门窗可以让我们的生活越来越精致，
也可以让我们的生活越来越安心。

A good door and window can make our life more and more exquisite,
and also make us feel more and more at ease in our daily life.



DRAINAGE TROUGH

304 不锈钢排水槽

下滑排水槽采用 304 不锈钢地漏式
可拆卸排水结构, 美观易排水

The lower - slide drainage trough adopts a 304
stainless - steel floor - drain - type detachable drainage structure,
which is aesthetically pleasing and easy to drain water.

“ 多样化开启方式 舒适体验

BALCONY SCENE
HAVE A BROAD VIEW OF THE BEAUTIFUL
SCENERY OUTSIDE THE DOOR



SAFE AND RELIABLE

BE COMMITTED TO CREATING A QUIET
AND COMFORTABLE HOME ENVIRONMENT FOR
THOUSANDS OF HOUSEHOLDS.

“

超大扇宽

开启舒适生活新境界

实用功能与创新美学结合、大视野、大空间
打造通透视觉享受，为建筑和生活空间创造无限可能

Create a transparent visual enjoyment and unlock infinite
possibilities for architectural and living spaces!



“大景观 大开启 大通风 打造宜居的空间

无碍视野 清晰通透

视野开阔, 在享受室内阳光的同时, 还可以欣赏窗外风景享受惬意生活

关闭噪音 舒适进出

外框与内扇采用嵌入式设计, 确保框扇之间的防水性能和密闭性能更好, 阻隔噪音的效果更强。

无需用力 轻柔推拉

稳稳承重 300Kg, 轻松拉动大扇门

无畏空间局限

不会受到窗帘的影响无法开关门扇
随时可以开启关闭



“回归自然 邂逅阳光

可实现大扇开启, 增大空间视野, 提升视觉享受,
让更多的阳光进入室内, 让居室融入大美风景!


It can achieve large - scale opening of the sash, ensuring transparency of the space, expanding the spatial view, enhancing the visual enjoyment, allowing more sunlight to enter the room, and integrating the living room into the beautiful scenery!



HEAVYDUTY LIFTING AND SLIDING HARDWARE

威斯特丹·提升推拉五金

- 免打孔，安装调试简单
- 避开角码，防打烂玻璃。
- 可靠边安装，平衡效果好



可调节 抗台风防摆轮


上轨配置可调节的抗台风防摆轮
任狂风暴雨，安全隐定不摆动

The upper rail is equipped with adjustable anti typhoon anti swing wheels. Even in the face of fierce winds and heavy rains, it remains safe, stable, and free from swaying.

勾企多道密封结构 无缝可进


勾企处胶条与铝材间共挤，
形成多道密封，密封性更强。

The rubber strip at the hook - shaped profile is co extruded with the aluminum material, forming multiple sealing layers for enhanced sealing performance.



LIFTING DOOR

198 三轨提升推拉门



产品参数 Product Parameters

型材壁厚	2.0mm~2.5mm	玻璃配置	标配 6+18A+6、多种可选
边框宽度	198mm	五金选配	皓涛 / 格屋 / 好博 / 威斯特丹
开启方式	三轨带纱提升推拉门	应用场景	阳台 / 客厅 / 别墅 / 阳光房



产品性能 Product performance


保温性能	气密性能	隔音性能	水密性能	抗风性能
 6级	 5级	 5级	 6级	 9级

“ 强大提升系统 实现轻松启闭

提升推拉门不同于普通推拉门，
主要区别在于材料系统和五金系统的强大升级，利用力矩的原理，
用较小的力轻松实现移动和锁闭功能，
30000 次启闭测试，轻松、静音、耐用。

It can achieve large - scale opening of the sash, ensuring transparency of the space,
expanding the spatial view, enhancing the visual enjoyment, allowing more sunlight
to enter the room, and integrating the living room into the beautiful scenery!

可选样式 Optional styles



SAFE AND RELIABLE

BE COMMITTED TO CREATING A QUIET
AND COMFORTABLE HOME ENVIRONMENT FOR
THOUSANDS OF HOUSEHOLDS.

框包扇设计 大大提升防盗系数


专用密封型材及三元乙丙胶条，
使产品密封性能更优异。

Special - purpose sealing profiles and EPDM
rubber strips make the product's sealing performance
even more excellent.



LIFTING WINDOW

120/130 断桥提升推拉窗




产品参数 Product Parameters

型材壁厚	2.0 mm	玻璃配置	标配 5+20A+5、多种可选
产品系列	120/130	五金品牌	威必驰（黑色 / 银色）
开启方式	提升平移推拉	应用场景	阳台门 / 厨房窗



可选样式 Optional styles



产品性能 Product performance

保温性能	气密性能	隔音性能	水密性能	抗风性能
 6级	 5级	 5级	 6级	 9级

SUPERIOR
QUALITY

“ 优质承重 双排轮设计

通风效果好

开启面积大, 50% 打开面积通风更佳

操作灵活

可随时固定打开位置,
稳定更强还可以防盗

安静舒适

静音轨道, 平稳滑动, 静音落锁安静舒适



威必驰 提升五金系统

25000 次起闭测试、轻松、静音、耐用



隔音性能好



保温性能好




防潮性能佳



中空双层玻璃



气密性良好



创新型密封结构

窗扇上方胶条与铝材搭接模式
关窗时与铝材紧紧贴合, 密封性更强。



软硬共挤胶条

窗扇关闭时与胶条进行挤压,
形成更密封的密闭腔。

“

真正的全景设计

玻璃视觉面积可达 95%

以匠心设计、卓越不凡的性能，
为您打造一个既安全又舒适的理想居所。

With ingenious design and outstanding performance, we create an ideal
residence that is both safe and comfortable for you.




SEALING STRUCTURE

汽车级“净”音中空玻璃

信义原片中空钢化玻璃内充氩气，
整体有效净音 36.3db

The hollow tempered glass is made from original
Xinyi glass sheets and filled with argon gas.
Overall, it can effectively reduce noise by 36.3 decibels.



ELECTRIC DOOR

125 电动推拉门 / 提升推拉门


电动推拉门

加强主料 3.0mm,
边框 2.0mm 壁厚新国标设计结构

采光度更高, 最大限度空间更通透,
让您拥有真正的大视野

一键开启关闭, 遇阻即停安全放心

产品四周采用框包扇嵌入式设计,
更密封, 更美观;



隐藏式直驱电机, 运行静音平稳
一推一拉, 轻便不费力

扇标配中空 5+25A+5 玻璃配置
免打胶工艺

可接入各大智能家居平台
轻松实现全屋联动


提升推拉门

加强主料 3.0mm,
边框 2.0mm 壁厚新国标设计结构

采光度更高, 最大限度空间更通透,
让您拥有真正的大视野

扇标配中空 5+25A+5 玻璃配置
免打胶工艺

产品四周采用框包扇嵌入式设计,
更密封, 更美观;



可做入户大门、可做大阳台封窗
落地多种方案

斜插式一体玻璃护栏
通过斜插式安装方式, 提高安装安全

提升推拉系统利用杠杆学原理, 用户只
需轻轻转动执手, 即可控制门扇的提升
和下降, 轻松实现门扇的开启和固定



“
斜插式一体玻璃护栏
安装更安全

STABLE ALL DAY LONG
UNAFRAID OF WIND AND RAIN

