



YUNBAI HOME

云白家居

ENGLISH EDITION

FOSHAN, CHINA · DOOR PROFILES

Commercial Door Systems

Multilingual edition — translated introduction, followed by the complete product album

WhatsApp

+86 139 2587 2677

Email

info@yunbaihome.com

Address

Nanhai District, Foshan, Guangdong, China

Terms

FOB · CIF · DDP · LCL / FCL

WHO WE ARE

A Foshan export partner for the whole home

YUNBAI HOME is based in Nanhai, Foshan, Guangdong — the heart of China's building-materials and furniture industry. We export full-category building materials and made-to-measure whole-house interiors: kitchens, wardrobes, doors and windows, tiles, stone, flooring, bathrooms, lighting and soft furnishings, with design, QC, export documents and global delivery handled by one team.

15+

15+ years export experience

14

14 product categories in one order

60+

60+ destination countries

500+

500+ homes & projects supplied

HOW TO ORDER

01

Inquiry

Send model photos & room dimensions — quotation within 24 hours

02

Order & deposit

Confirm finishes & proforma invoice, pay deposit

03

Production & QC

Production, progress photos & pre-shipment inspection

04

Delivery

Balance payment & shipment — FOB · CIF · DDP

THIS COLLECTION

01 **Profile catalogs**
standard RQ series profiles, 6063-T5 aluminum

02 **Tolerances & specs**
tolerance grades, wall thickness, surface area

03 **Custom extrusion**
bespoke profiles fabricated to drawing

Engineering

✓ GB/5237-2008 standard, 6063-T5 alloy

✓ Drawing-based fabrication, 1:1 scale

✓ OEM extrusion for commercial projects

HOW TO READ THIS ALBUM

Commercial Door Systems

The following pages are the original engineering drawings. Send us the profile code and requirements and we will confirm fabrication and pricing.

Technical parameters on the source pages follow the manufacturer's standards and are reconfirmed per order.

CONTACT YUNBAI HOME

WhatsApp

+86 139 2587 2677

Email

info@yunbaihome.com

Address

Nanhai District, Foshan, Guangdong, China

Hours


Mon – Sat, 9:00 – 18:00 (GMT+8)



WeChat

各 户					型 号	RQ-01	
出图依据					名 称	上滑	
模具规格		φ*	1:1				
棒径		**					





客 户					型 号	RQ-02																							
出图依据					名 称	边框																							
模具规格																													
棒 径																													
		未注公差（高精级） <table><tr><td>≤3</td><td>±0.15</td></tr><tr><td>>3-6</td><td>±0.18</td></tr><tr><td>>6-12</td><td>±0.20</td></tr><tr><td>>12-19</td><td>±0.23</td></tr><tr><td>>19-25</td><td>±0.25</td></tr><tr><td>>25-38</td><td>±0.30</td></tr><tr><td>>38-50</td><td>±0.36</td></tr><tr><td>>50-100</td><td>±0.61</td></tr><tr><td>>100-150</td><td>±0.86</td></tr><tr><td>>150-200</td><td>±1.12</td></tr><tr><td>>200-250</td><td>±1.37</td></tr></table> 						≤3	±0.15	>3-6	±0.18	>6-12	±0.20	>12-19	±0.23	>19-25	±0.25	>25-38	±0.30	>38-50	±0.36	>50-100	±0.61	>100-150	±0.86	>150-200	±1.12	>200-250	±1.37
≤3	±0.15																												
>3-6	±0.18																												
>6-12	±0.20																												
>12-19	±0.23																												
>19-25	±0.25																												
>25-38	±0.30																												
>38-50	±0.36																												
>50-100	±0.61																												
>100-150	±0.86																												
>150-200	±1.12																												
>200-250	±1.37																												
制 图		YS/W	周 长（mm）	*	未注圆角	R0.3	采用标准	GB/5237-2008																					
审 核		*	面 积（mm ² ）	504.75	壁厚	1.6	材 料	6063-T5																					
批 准			重 量（kg/m）	1.368	YUNBAI HOME 云百家居																								
日 期		2022.06.19	比 例	1:1																									



客 户				型 号	
出图依据				名 称	
模具规格	ϕ^*				
棒 径	**				

未注公差（高精级）	
≤3	±0.15
>3-6	±0.18
>6-12	±0.20
>12-19	±0.23
>19-25	±0.25
>25-38	±0.30
>38-50	±0.36
>50-100	±0.61
>100-150	±0.86
>150-200	±1.12
>200-250	±1.37




制 图	YS/W	周 长（mm）	*	未注圆角	R0.3	采用标准	GB/5237-2008
审 核	*	面 积（mm ² ）	58.48	未注壁厚	1.0	材 料	6063-T5
批 准		重 量（kg/m）	0.158				
日 期	2022.06.19	比 例	1:1				





客 户					型 号	RQ-04	
出图依据					名 称	双边中柱	
模具规格		φ *					
棒 径		**					

未注公差（高精级）	
≤3	±0.15
>3-6	±0.18
>6-12	±0.20
>12-19	±0.23
>19-25	±0.25
>25-38	±0.30
>38-50	±0.36
>50-100	±0.61
>100-150	±0.86
>150-200	±1.12
>200-250	±1.37



制 图	YS/W	周 长（mm）	*	未注圆角	R0.3	采用标准	GB/5237-2008
审 核	*	面 积（mm ² ）	576.02	壁 厚	1.6	材 料	6063-T5
批 准		重 量（kg/m）	1.561	YUNBAI HOME 云佰家居			
日 期	2022.06.19	比 例	1:1				





客 户					型 号	RQ-05																			
出图依据					名 称	边 锋																			
模具规格		ϕ^*																							
棒 径		**																							
未注公差（高精级） <table><tr><td>≤3</td><td>±0.15</td></tr><tr><td>>3-6</td><td>±0.18</td></tr><tr><td>>6-12</td><td>±0.20</td></tr><tr><td>>12-19</td><td>±0.23</td></tr><tr><td>>19-25</td><td>±0.25</td></tr><tr><td>>25-38</td><td>±0.30</td></tr><tr><td>>38-50</td><td>±0.36</td></tr><tr><td>>50-100</td><td>±0.61</td></tr><tr><td>>100-150</td><td>±0.86</td></tr><tr><td>>150-200</td><td>±1.12</td></tr><tr><td>>200-250</td><td>±1.37</td></tr></table>		≤3	±0.15	>3-6	±0.18	>6-12	±0.20	>12-19	±0.23	>19-25	±0.25	>25-38	±0.30	>38-50	±0.36	>50-100	±0.61	>100-150	±0.86	>150-200	±1.12	>200-250	±1.37	 1:1	
		≤3	±0.15																						
		>3-6	±0.18																						
		>6-12	±0.20																						
		>12-19	±0.23																						
		>19-25	±0.25																						
		>25-38	±0.30																						
		>38-50	±0.36																						
		>50-100	±0.61																						
		>100-150	±0.86																						
>150-200	±1.12																								
>200-250	±1.37																								

客 户				型 号	RQ-06
出图依据				名 称	**

模具规格	ϕ^*
棒 径	**

未注公差（高精级）	
≤3	±0.15
>3-6	±0.18
>6-12	±0.20
>12-19	±0.23
>19-25	±0.25
>25-38	±0.30
>38-50	±0.36
>50-100	±0.61
>100-150	±0.86
>150-200	±1.12
>200-250	±1.37





1:1

制 图	YS/W	周 长（mm）	*	未注圆角	R0.3	采用标准	GB/5237-2008
审 核	*	面 积（mm ² ）	613.66	壁 厚	2.0	材 料	6063-T5
批 准		重 量（kg/m）	1.663	YUNBAI HOME 云白家居			
日 期	2022.06.19	比 例	1:1				



客 户				型 号	RQ-07
出图依据				名 称	**
模具规格	ϕ^*				
棒 径	**				

未注公差（高精级）	
≤3	±0.15
>3-6	±0.18
>6-12	±0.20
>12-19	±0.23
>19-25	±0.25
>25-38	±0.30
>38-50	±0.36
>50-100	±0.61
>100-150	±0.86
>150-200	±1.12
>200-250	±1.37




1:1

制 图	YS/W	周 长（mm）	*	未注圆角	R0.3	采用标准	GB/5237-2008
审 核	*	面 积（mm ² ）	86.97	壁厚	1.0	材 料	6063-T5
批 准		重 量（kg/m）	0.236				
日 期	2022.06.19	比 例	1:1				

YUNBAI HOME
云佰家居





客 户		修 改		修 改 内 容		型 号		RQ-08																							
出图依据						名 称		**																							
模具规格		ϕ^*																													
棒 径		**																													
未注公差（高精级） <table><tr><td>≤3</td><td>±0.15</td></tr><tr><td>>3-6</td><td>±0.18</td></tr><tr><td>>6-12</td><td>±0.20</td></tr><tr><td>>12-19</td><td>±0.23</td></tr><tr><td>>19-25</td><td>±0.25</td></tr><tr><td>>25-38</td><td>±0.30</td></tr><tr><td>>38-50</td><td>±0.36</td></tr><tr><td>>50-100</td><td>±0.61</td></tr><tr><td>>100-150</td><td>±0.86</td></tr><tr><td>>150-200</td><td>±1.12</td></tr><tr><td>>200-250</td><td>±1.37</td></tr></table>										≤3	±0.15	>3-6	±0.18	>6-12	±0.20	>12-19	±0.23	>19-25	±0.25	>25-38	±0.30	>38-50	±0.36	>50-100	±0.61	>100-150	±0.86	>150-200	±1.12	>200-250	±1.37
≤3	±0.15																														
>3-6	±0.18																														
>6-12	±0.20																														
>12-19	±0.23																														
>19-25	±0.25																														
>25-38	±0.30																														
>38-50	±0.36																														
>50-100	±0.61																														
>100-150	±0.86																														
>150-200	±1.12																														
>200-250	±1.37																														
制 图		YS/W	周 长（mm）	*	未注圆角	R0.3	采用标准	GB/5237-2008																							
审 核		*	面 积（mm ² ）	75.95	壁 厚	1.0	材 料	6063-T5																							
批 准			重 量（kg/m）	0.206	YUNBAI HOME 云白家居																										
日 期		2022.06.19	比 例	1:1																											

客 户		修 改		修 改 内 容		型 号	RQ-09																						
出图依据						名 称	**																						
模具规格		未注公差（高精级） <table><tr><td>≤3</td><td>±0.15</td></tr><tr><td>>3-6</td><td>±0.18</td></tr><tr><td>>6-12</td><td>±0.20</td></tr><tr><td>>12-19</td><td>±0.23</td></tr><tr><td>>19-25</td><td>±0.25</td></tr><tr><td>>25-38</td><td>±0.30</td></tr><tr><td>>38-50</td><td>±0.36</td></tr><tr><td>>50-100</td><td>±0.61</td></tr><tr><td>>100-150</td><td>±0.86</td></tr><tr><td>>150-200</td><td>±1.12</td></tr><tr><td>>200-250</td><td>±1.37</td></tr></table> 1 11 13 15.2 18.1 26.5 1:1						≤3	±0.15	>3-6	±0.18	>6-12	±0.20	>12-19	±0.23	>19-25	±0.25	>25-38	±0.30	>38-50	±0.36	>50-100	±0.61	>100-150	±0.86	>150-200	±1.12	>200-250	±1.37
≤3	±0.15																												
>3-6	±0.18																												
>6-12	±0.20																												
>12-19	±0.23																												
>19-25	±0.25																												
>25-38	±0.30																												
>38-50	±0.36																												
>50-100	±0.61																												
>100-150	±0.86																												
>150-200	±1.12																												
>200-250	±1.37																												
棒 径																													



客 户					型 号	RQ-10	
出图依据					名 称	**	
模具规格		φ *					
棒 径		**					
		</					



客 户					型 号	RQ-12		
出图依据					名 称	**		
模具规格		ϕ^*						
棒 径		**						
未注公差（高精级）								
≤3	±0.15							
>3-6	±0.18							
>6-12	±0.20							
>12-19	±0.23							
>19-25	±0.25							
>25-38	±0.30							
>38-50	±0.36							
>50-100	±0.61							
>100-150	±0.86							
>150-200	±1.12							
>200-250	±1.37							
制 图		YS/W	周 长（mm）	*	未注圆角	R0.3	采用标准	GB/5237-2008
审 核		*	面 积（mm ² ）	764.91	壁 厚	3.0	材 料	6063-T5
批 准			重 量（kg/m）	2.073				
日 期		2022.06.19	比 例	1:1				

客 户					型 号	RQ-13	
出图依据					名 称	**	
模具规格		ϕ^*					
棒 径		**					

客 户				型 号	RQ-14
出图依据				名 称	**



模具规格	ϕ^*
棒 径	**

未注公差（高精级）	
≤3	±0.15
>3-6	±0.18
>6-12	±0.20
>12-19	±0.23
>19-25	±0.25
>25-38	±0.30
>38-50	±0.36
>50-100	±0.61
>100-150	±0.86
>150-200	±1.12
>200-250	±1.37






制 图	YS/W	周 长（mm）	*	未注圆角	R0.3	采用标准	GB/5237-2008
审 核	*	面 积（mm ² ）	39.33	壁 厚	1.0	材 料	6063-T5
批 准		重 量（kg/m）	0.107	YUNBAI HOME 云白家居			
日 期	2022.06.19	比 例	1:1				



客 户				型 号	RQ-15																								
出图依据				名 称	**																								
模具规格	φ *																												
棒 径	**																												
未注公差（高精级） <table><tr><td>≤3</td><td>±0.15</td></tr><tr><td>>3-6</td><td>±0.18</td></tr><tr><td>>6-12</td><td>±0.20</td></tr><tr><td>>12-19</td><td>±0.23</td></tr><tr><td>>19-25</td><td>±0.25</td></tr><tr><td>>25-38</td><td>±0.30</td></tr><tr><td>>38-50</td><td>±0.36</td></tr><tr><td>>50-100</td><td>±0.61</td></tr><tr><td>>100-150</td><td>±0.86</td></tr><tr><td>>150-200</td><td>±1.12</td></tr><tr><td>>200-250</td><td>±1.37</td></tr></table>   1:1								≤3	±0.15	>3-6	±0.18	>6-12	±0.20	>12-19	±0.23	>19-25	±0.25	>25-38	±0.30	>38-50	±0.36	>50-100	±0.61	>100-150	±0.86	>150-200	±1.12	>200-250	±1.37
≤3	±0.15																												
>3-6	±0.18																												
>6-12	±0.20																												
>12-19	±0.23																												
>19-25	±0.25																												
>25-38	±0.30																												
>38-50	±0.36																												
>50-100	±0.61																												
>100-150	±0.86																												
>150-200	±1.12																												
>200-250	±1.37																												
制 图	YS/W	周 长（mm）	*	未注圆角	R0.3	采用标准	GB/5237-2008																						
审 核	*	面 积（mm ² ）	65.49	壁厚	1.0	材 料	6063-T5																						
批 准		重 量（kg/m）	0.177	YUNBAI HOME 云白家居																									
日 期	2022.06.19	比 例	1:1																										



客 户					型 号	RQ-16																							
出图依据					名 称	**																							
模具规格		未注公差（高精级） <table><tr><td>≤3</td><td>±0.15</td></tr><tr><td>>3-6</td><td>±0.18</td></tr><tr><td>>6-12</td><td>±0.20</td></tr><tr><td>>12-19</td><td>±0.23</td></tr><tr><td>>19-25</td><td>±0.25</td></tr><tr><td>>25-38</td><td>±0.30</td></tr><tr><td>>38-50</td><td>±0.36</td></tr><tr><td>>50-100</td><td>±0.61</td></tr><tr><td>>100-150</td><td>±0.86</td></tr><tr><td>>150-200</td><td>±1.12</td></tr><tr><td>>200-250</td><td>±1.37</td></tr></table> 						≤3	±0.15	>3-6	±0.18	>6-12	±0.20	>12-19	±0.23	>19-25	±0.25	>25-38	±0.30	>38-50	±0.36	>50-100	±0.61	>100-150	±0.86	>150-200	±1.12	>200-250	±1.37
≤3	±0.15																												
>3-6	±0.18																												
>6-12	±0.20																												
>12-19	±0.23																												
>19-25	±0.25																												
>25-38	±0.30																												
>38-50	±0.36																												
>50-100	±0.61																												
>100-150	±0.86																												
>150-200	±1.12																												
>200-250	±1.37																												
棒 径																													

客 户					型 号	RQ-17																							
出图依据					名 称	**																							
模具规格		未注公差（高精级） <table><tr><td></td><td>±0.15</td></tr><tr><td></td><td>±0.18</td></tr><tr><td></td><td>±0.20</td></tr><tr><td></td><td>±0.23</td></tr><tr><td></td><td>±0.25</td></tr><tr><td></td><td>±0.30</td></tr><tr><td></td><td>±0.36</td></tr><tr><td></td><td>±0.61</td></tr><tr><td>>100-150</td><td>±0.86</td></tr><tr><td>>150-200</td><td>±1.12</td></tr><tr><td>>200-250</td><td>±1.37</td></tr></table> 							±0.15		±0.18		±0.20		±0.23		±0.25		±0.30		±0.36		±0.61	>100-150	±0.86	>150-200	±1.12	>200-250	±1.37
	±0.15																												
	±0.18																												
	±0.20																												
	±0.23																												
	±0.25																												
	±0.30																												
	±0.36																												
	±0.61																												
>100-150	±0.86																												
>150-200	±1.12																												
>200-250	±1.37																												
棒 径																													
制 图		YS/W	周 长（mm）	*	未注圆角	R0.3	采用标准																						
审 核		*	面 积（mm ² ）	145.63	壁厚	1.5	GB/5237-2008																						
批 准			重 量（kg/m）	0.395	YUNBAI HOME 云白家居																								
日 期		2022.06.19	比 例	1:1																									

客 户					型 号	RQ-18	
出图依据					名 称	**	
模具规格		ϕ^*					
棒 径							





客 户					型 号	RQ-19	
出图依据					名 称	**	
模具规格							
棒 径							



客 户				型 号	RQ-21
出图依据				名 称	**
模具规格	ϕ^*				
棒 径	**				

未注公差（高精级）	
≤3	±0.15
>3-6	±0.18
>6-12	±0.20
>12-19	±0.23
>19-25	±0.25
>25-38	±0.30
>38-50	±0.36
>50-100	±0.61
>100-150	±0.86
>150-200	±1.12
>200-250	±1.37





1:2

制 图	YS/W	周 长 (mm)	*	未注圆角	R0.3	采用标准	GB/5237-2008
审 核	*	面 积 (mm ²)	679.62	壁厚	2.0	材 料	6063-T5
批 准		重 量 (kg/m)	1.842				
日 期	2022.06.19	比 例	1:1				



客 户				型 号	RQ-22
出图依据				名 称	**
模具规格	ϕ^*				
棒 径	**				

未注公差（高精级）	
≤3	±0.15
>3-6	±0.18
>6-12	±0.20
>12-19	±0.23
>19-25	±0.25
>25-38	±0.30
>38-50	±0.36
>50-100	±0.61
>100-150	±0.86
>150-200	±1.12
>200-250	±1.37




1:2

制 图	YS/W	周 长 (mm)	*	未注圆角	R0.3	采用标准	GB/5237-2008
审 核	*	面 积 (mm ²)	642.45	壁厚	2.0	材 料	6063-T5
批 准		重 量 (kg/m)	1.741				
日 期	2022.06.19	比 例	1:1				

YUNBAI HOME
云白家居



客 户					型 号	RQ-23																									
出图依据					名 称	**																									
模具规格		ϕ^*																													
棒 径		**																													
<table><tr><th colspan="2">未注公差（高精级）</th></tr><tr><td>≤3</td><td>±0.15</td></tr><tr><td>>3-6</td><td>±0.18</td></tr><tr><td>>6-12</td><td>±0.20</td></tr><tr><td>>12-19</td><td>±0.23</td></tr><tr><td>>19-25</td><td>±0.25</td></tr><tr><td>>25-38</td><td>±0.30</td></tr><tr><td>>38-50</td><td>±0.36</td></tr><tr><td>>50-100</td><td>±0.61</td></tr><tr><td>>100-150</td><td>±0.86</td></tr><tr><td>>150-200</td><td>±1.12</td></tr><tr><td>>200-250</td><td>±1.37</td></tr></table>				未注公差（高精级）		≤3	±0.15	>3-6	±0.18	>6-12	±0.20	>12-19	±0.23	>19-25	±0.25	>25-38	±0.30	>38-50	±0.36	>50-100	±0.61	>100-150	±0.86	>150-200	±1.12	>200-250	±1.37				
未注公差（高精级）																															
≤3	±0.15																														
>3-6	±0.18																														
>6-12	±0.20																														
>12-19	±0.23																														
>19-25	±0.25																														
>25-38	±0.30																														
>38-50	±0.36																														
>50-100	±0.61																														
>100-150	±0.86																														
>150-200	±1.12																														
>200-250	±1.37																														
制 图		YS/W	周 长（mm）	*	未注圆角	R0.3	采用标准	GB/5237-2008																							
审 核		*	面 积（mm ² ）	580.45	壁 厚	2.0	材 料	6063-T5																							
批 准			重 量（kg/m）	1.573																											
日 期		2022.06.19	比 例	1:1																											